Residential Building Permit Application

Updated **JUNE 2024**

NOTICE TO APPLICANTS

Please type or print legibly. If necessary, attach additional sheets to fully answer any of the following sections. This form, along with application, application fee and required documents must be submitted at least twenty (20) days prior to the regularly scheduled meeting of the Planning Commission.

Petitioner should refer to the City of Bloomingdale's Code of Ordinances, Zoning Appendix, to understand and adhere to all requirements. This document is for application purposes only and does not replace any procedures set forth in the Code of Ordinances.

OFFICE USE ONLY

Permit Number: _____ PIN: _____

Special Conditions: _____

Flood Zone: _____ Plan Review Fee: _____ Permit Fee: _____

Reviewed by: _____ Date: _____

Project Information

Project Address | Subdivision

Lot Number | Lot Size

Building Size | Total Sq.Ft. | Climate Control Sq.Ft. | Non-Climate Control Sq.Ft. | Building Height

Number of Stories | Number of Baths | Number of Bedrooms

Owner Name | Owner Mailing Address | Owner Phone

Owner Email | Owner Phone

Contractor Name | Contractor Mailing Address

Contractor Email | Contractor Phone

Architect/Engineer Name | Architect/Engineer Mailing Address

Residential Building Permit Application

Updated **JUNE 2024**

Architect/Engineer Email | Architect/Engineer Phone

Use

☐ Single Family Residential ☐ Townhome ☐ Condominium

Describe Work

Type of Insulation | Type of Termite Treatment

Affidavit

In consideration of the granting of the above requested permit, I do hereby agree that I will in all respects construct the work in accordance with the above statement and the Plans and Specifications herewith submitted, and filed in the Planning & Development - Building & Inspections Department and in compliance with all the state and local Laws and Ordinances regulating construction.

Applicant Name | Applicant Signature | Date

$ Valuation of Work

Subcontractor Certification of Work

Updated **November 2023**

Project Information

Project Address | Permit Number

Owner | Contractor

Electrical Work Affidavit

I hereby certify that I will perform the Electrical work for the Owner/Builder stated above and I further certify that I have both a valid State and Local Business License. (Attach copy of State and Local Business Licenses.)

Company Name | State License Number | Business License Number

Mailing Address

Print Name | Signature | Date

Mechanical Work Affidavit

I hereby certify that I will perform the Mechanical work for the Owner/Builder stated above and I further certify that I have both a valid State and Local Business License. (Attach copy of State and Local Business Licenses.)

Company Name | State License Number | Business License Number

Mailing Address

Print Name | Signature | Date

Plumbing Work Affidavit

I hereby certify that I will perform the Plumbing work for the Owner/Builder stated above and I further certify that I have both a valid State and Local Business License. (Attach copy of State and Local Business Licenses.)

Company Name | State License Number | Business License Number

Mailing Address

Print Name | Signature | Date

City of Bloomingdale

Connection Form

GENERAL INFORMATION

Full Name: _____ Date: _____
Last *First* *M.I.*

Service Address: _____
Street Address *Apartment/Unit #*

BLOOMINGDALE GA 31302
City *State* *ZIP Code*

Phone: _____ Email _____

Social Security Number: _____

Is the Mailing Address the same as Service Address? YES ☐ NO ☐

If NO, what is the Mailing Address? _____

Is the Electricity ON? (Electricity must be ON BEFORE CONNECTION OF SERVICES) YES ☐ NO ☐

If NO, when will it be ON? _____

Are you over the age of 65? YES ☐ NO ☐

D.O.B: _____

DATE OF CONNECTION: _____ **Select one:** **Property Owner/ Landlord** **Tenant**

DEPOSIT BREAKDOWN

RESIDENTIAL:

WATER DEPOSIT	-	$ 85.00	WATER CONNECTION FEE	-	$40.00
SEWER DEPOSIT	-	$125.00	SEWER CONNECTION FEE	-	$40.00
SANITATION DEPOSIT	-	$ 90.00			
TOTAL DUE	**-**	**$380.00**			

Disclaimer and Signature

I certify that my answers are true and complete to the best of my knowledge.

Signature: _____ Date: _____

***PLEASE PROVIDE A COPY OF YOUR DRIVER'S LICENSE.**
****PLEASE PROVIDE A COPY OF YOUR LEASE IF RENTING.**

STATE LICENSING BOARD FOR RESIDENTIAL AND GENERAL CONTRACTORS
237 Coliseum Drive, Macon, GA 31217
404-424-9966
www.sos.ga.gov/plb

Authorized Permit Agent Form (ONE FORM PER PERMIT)

This form may be used by a qualifying agent to designate an individual to obtain a permit on his/her behalf for a project for the qualifying company. The contractor should submit an original Authorized Permit Agent Form for each project for which he/she has designated an individual to pull permits. This designated individual shall further be identified as the authorized permit agent. This notarized form with an **ORIGINAL SIGNATURE** (no copies or faxes accepted), a copy of the contractor's license, a copy of the contractor's company license, and a copy of the driver's license of the authorized permit agent is to be given to the permit office in the city or county in which the project is located. **DO NOT SEND A COPY OF THIS FORM TO THE BOARD OFFICE UNLESS REQUESTED.**

License verification by permitting office should be completed by visiting http://verify.sos.ga.gov/verification

Name of Qualifying Agent:	
Contractor License # (Attach a copy of license.)	
Name of Licensed Company:	
Company License # (Attach a copy of license.)	
Name of Authorized Permit Agent: (Attach a copy of driver's license.)	

PROJECT (an original form is required for each project):

Company listed on contract:	
Property Owner's Name:	
Street Address:	
Apartment or Suite #	
City, State, Zip:	

I hereby designate the above listed Authorized Permit Agent to apply for and obtain the permit(s) for the project listed above. The undersigned, being licensed as a qualifying agent, do hereby affirm and swear, under oath, that all information on this form and on accompanying documents are true and correct.

_____
Original Signature of Qualifying Agent (no copies or faxes accepted)

State of _____ County of _____ NOTARY SEAL

SUBSCRIBED AND SWORN BEFORE ME ON THIS THE

_____DAY OF_____, 20 _____

_____
NOTARY PUBLIC My Commission Expires:

Revised 05-21 (all older forms are void)

DISTRICT	*EXAMPLES OF BASIC INTENT AND USE*	*CONDITIONAL USES*
PDOD PLANNED DEVELOPMENT OVERLAY DISTRICT	Areas within which comprehensive development plans shall be prepared and/or reviewed by the planning commission and approved by the mayor and council in order to secure an orderly development pattern	Those uses permitted in such districts shall be those uses permitted in the zoning district which they overlay

(Ord. of 11-21-2002(1), § 1; Ord. of 2-6-2003(2), § 2)

[Sec. 501. Table II.]

*MINIMUM REQUIREMENTS***						*MAXIMUM LIMITATIONS*		
Lot Area (Square Feet)	*Lot Width*	*Front Yard Setback*	*Side Yard*	*Corner Side Yard*	*Rear Yard*	*Total Building Coverage*	*Height in Stories*	*District*
15,000*	100′	35′	10′	20′	25′	25%	2	R-A, R-A-1, R-1
20,000	125′	35′	15′	20′	25′	25%	2	R-A, R-A-1
—	—	35′	25′	35′	35′	25%	3	PEH
20,000	125′	35′	15′	20′	25′	25%	2	R-1
20,000 + 2,000 2nd unit	125′	35′	15′	20′	25′	25%	2	R-2
2 acres	—	25′	—	20′	—	—	3	PUD
15,000	100′	25′	10′	20′	15′	40%	3	OI
20,000	125′	25′	— 10′ adj. res.	20′	15′ 25′ adj. res.	45%	3	NC
15,000	100	25′	—	20′	—	90%	3	C-1
15,000	100′ 60′ adj. res.	25′	—	20′	15′ 25′ adj. res.	45%	2	C-2
15,000	100′ 90′ adj. res.	25′	12′	22′	15′ 25′ adj. res.	35%	2	I-1
15,000	100′ 110′ adj. res.	50′	15′ 25′ adj. res.	25′	15′ 25′ adj. res.	25%	2	I-2

*Lots with public sewer (with or without public water).

**Lot size requirements shall not be required of lots originally laid out in the original map of Bloomingdale (Pierce Tract), copy located at city hall.

NOTE: Lots without public sewer are subject to Chatham County Health Department regulations for septic systems.

(Ord. of 11-18-1999(1), § 1)

STATEMENT OF NOTIFICATION

SUBJECT: Wetland requirements / Flood Zone

I, _____ am applying for a building permit with the City of Bloomingdale and understand that I must comply with all applicable Federal and State. Laws regarding wetland and flood zone requirements as they pertain to said construction. I also understand that if this property is located within the 100year flood boundary, I must comply with all flood zone requirements.

Property (is_____) (is not_____) located within 100 year flood boundary.

_____ _____

Signature Date

_____

Witness

Property Owner Authorization (Building)

Updated **NOV 2024**

Authorization

Completion of this form is required for all of the following applications:

☐ Building Permit – Residential ☐ Building Permit – Misc. ☐ Fire Prevention Permit ☐ Sign Permit - Permanent

I authorize the person named below to act as Applicant in pursuit of the use(s) checked above.

Applicant/Agent Name | Email | Phone

Applicant/Agent Address

I swear that I am the owner of the property, which is the subject matter of the attached application, as shown in the records of Chatham County, Georgia, and that the information contained in this authorization is true and correct to the best of my knowledge and belief.

Property Address

Owner Name | Owner Signature | Date

Notary Public

Subscribed and Sworn This Day Of

Notary Name | Notary Signature | Commission Expiration

Seal

STATE OF GEORGIA
COUNTY OF CHATHAM
CITY OF BLOOMINGDALE

ORDINANCE

AN ORDINANCE BY THE MAYOR AND CITY COUNCIL FOR THE CITY OF BLOOMINGDALE TO AMEND THE CODE OF ORDINANCES OF BLOOMINGDALE, GEORGIA, AS AMENDED, BY CREATING AN ORDINANCE TO PROTECT THE PEACE, TRANQUILITY, AND QUIET ENJOYMENT OF RESIDENTIAL PROPERTY OWNERS BY RESTRICTING THE HOURS AND DAYS THAT ALL DEMOLITION OF PROPERTY, ALL TYPES OF CONSTRUCTION, ALL TIMBERING AND ASSOCIATED ACTIVITIES CAN BE PERFORMED WITHIN A CERTAIN DISTANCE OF EACH RESIDENTIAL ZONED PARCEL; TO REPEAL ALL ORDINANCES IN CONFLICT HEREWITH; TO PROVIDE AN EFFECTIVE DATE; AND FOR OTHER PURPOSES.

WHEREAS, the duly elected governing authority of the City of Bloomingdale, Georgia is authorized by O.C.G.A. § 36-35-3 to adopt ordinances relating to its property, affairs and local government; and

WHEREAS, the Mayor and Council have authority to amend the City's ordinances from time to time and where necessary to maintain adequate regulations;

NOW THEREFORE, BE IT ORDAINED BY THE GOVERNING AUTHORITY OF THE CITY OF BLOOMINGDALE, in regular meeting assembled and pursuant to lawful authority thereof, as follows:

SECTION ONE:

The Code of Ordinances of Bloomingdale, Georgia, as amended, are hereby amended for the purpose of creating and establishing an ordinance to protect the peace, tranquility, and quiet enjoyment of residential property owners by restricting the hours and days that all demolition of property, all types of construction, all timbering and associated activities can be performed within a certain distance of each residential zoned parcel as follows:

BLOOMINGDALE MUNICIPAL CODE SECTION 34-15

The Mayor and Bloomingdale City Council have determined that it has become necessary to create an ordinance to protect its citizens from noise, dust, and light pollution which are generated by demolition of property, all types of construction, all timbering and associated activities near residential zoned parcels.

Therefore, all demolition of property, all types of construction, all timbering and associated activities performed within 1500 feet of a residential parcel, as measured from the closest point between the residential parcel line and the parcel line where the demolition of property, construction or timbering and associated activities is occurring, shall only be performed between the hours of 07:30 a.m. and 08:30 p.m., Eastern standard time, Monday through Saturday.

Any person or legal entity that violates these requirements shall be guilty of violating a City ordinance and shall be punished according to Bloomingdale City Ordinance Section 1-11. The owner of the parcel where the demolition of property, construction, timbering and associated activities is occurring shall be deemed to have committed a violation of this ordinance for allowing the activity to occur in violation of this ordinance on his/her/its property. However, the first violation may be treated as a written warning to insure that the violator(s) has/have notice of the ordinance requirements.

In the event a charge is brought for a second violation, all permits for demolition, construction, and/or timbering shall be temporarily suspended and a stop work order issued until a hearing is held before City Council to determine if the permits and demolition, construction, and/or timbering shall be stopped and/or revoked for violation

of this ordinance. A written warning shall be counted as a first charged violation when determining if a second charged violation has occurred.

Mayor and City Council may issue a waiver of the requirements of this ordinance based upon information that clearly shows that a residential parcel will not be impacted by the above delineated activity restrictions.

SECTION TWO:

If any section, clause, sentence, or phrase of this ordinance is held to be invalid or unconstitutional by any court of competent jurisdiction, then said holding shall in no way effect the validity of the remaining portions of this ordinance.

SECTION THREE:

This ordinance shall become effective immediately upon its adoption by the City Council.

SECTION FOUR:

All ordinances or parts of ordinances in conflict with this ordinance are hereby repealed.

SO ORDAINED this 16 day of February, 2023.

CITY OF BLOOMINGDALE

Dennis Baxter, Mayor

ATTEST:

Jennifer Scholl, City Clerk

Read First Time: 2/16/23

Read ~~Second Time~~ and Approved: 2/16/23

Waived

Rules and Regulations of the State of Georgia 120-3-3-.04-3(e)-

2. Delete section 503.1.1 in its entirety and substitute in its place the following:

503.1.1 **Buildings and facilities.** Approved fire apparatus access roads shall be provided for every facility, building or portion of a building hereafter constructed or moved into or within the jurisdiction as determined by the local Fire Chief or Fire Code Official of the responding fire department or agency. The fire apparatus access road shall comply with the requirements of this section and Appendix D of this Code. The fire apparatus access road shall extend to within 150 feet (45.7 m) of all portions of the facility or any portion of the exterior wall of the first story of the building as measured by an approved route around the exterior of the building or facility.

Exception: The local Fire Chief or Fire Code Official of the responding fire department or agency is authorized to increase the dimension of 150 feet (45.7 m) where:

1. *The building is equipped throughout with an approved automatic sprinkler system installed in accordance with Section 903.3.1.1, 903.3.1.2 or 903.3.1.3.*

2. *The fire apparatus access roads cannot be installed because of location on the property, topography, waterways, nonnegotiable grades or other similar conditions, and an approved alternative means of fire protection is provided.*

3. *There are not more than two Group R-3 or Group U occupancies.*

2018 International Fire Code (IFC)

APPENDIX D

FIRE APPARATUS ACCESS ROADS

User note:

About this appendix: *Appendix D contains more detailed elements for use with the basic access requirements found in Section 503, which gives some minimum criteria, such as a maximum length of 150 feet and a minimum width of 20 feet, but in many cases does not state specific criteria. This*

appendix, like Appendices B and C, is a tool for jurisdictions looking for guidance in establishing access requirements and includes criteria for multiple-family residential developments, large one- and two-family subdivisions, specific examples for various types of turnarounds for fire department apparatus and parking regulatory signage.

D101.1Scope.
Fire apparatus access roads shall be in accordance with this appendix and all other applicable requirements of the *International Fire Code*.

SECTIOND102
REQUIRED ACCESS

D102.1Access and loading.

Facilities, buildings or portions of buildings hereafter constructed shall be accessible to fire department apparatus by way of an *approved* fire apparatus access road with an asphalt, concrete or other *approved* driving surface capable of supporting the imposed load of fire apparatus weighing up to 75,000 pounds (34 050 kg).
Premium Code Insights:
Code Change Details
apps
SECTIOND103
MINIMUM SPECIFICATIONS

D103.1Access road width with a hydrant.
Where a fire hydrant is located on a fire apparatus access road, the minimum road width shall be 26 feet (7925 mm), exclusive of shoulders (see Figure D103.1).

For SI: 1 foot = 304.8 mm.
FIGURE D103.1

DEAD-END FIRE APPARATUS ACCESS ROAD TURNAROUND

D103.2Grade.

Fire apparatus access roads shall not exceed 10 percent in grade.
Exception: Grades steeper than 10 percent as *approved* by the *fire code official*.
Premium Code Insights:
Code Change Details

D103.3Turning radius.
The minimum turning radius shall be determined by the *fire code official*.

D103.4Dead ends.
Dead-end fire apparatus access roads in excess of 150 feet (45 720 mm) shall be provided with width and turnaround provisions in accordance with Table D103.4.

TABLE D103.4
REQUIREMENTS FOR DEAD-END FIRE APPARATUS ACCESS ROADS

LENGTH (feet)	WIDTH (feet)	TURNAROUNDS REQUIRED
0–150	20	None required
151–500	20	120-foot Hammerhead, 60-foot "Y" or130-foot diameter cul-de-sac in accordance with Figure D103.1
501–750	26	120-foot Hammerhead, 60-foot "Y" or130-foot diameter cul-de-sac in accordance with Figure D103.1
Over 750	Special approval required	

For SI: 1 foot = 304.8 mm.

D103.5Fire apparatus access road gates.
Gates securing the fire apparatus access roads shall comply with all of the following criteria:

1. 1.Where a single gate is provided, the gate width shall be not less than 20 feet (6096 mm). Where a fire apparatus road consists of a divided roadway, the gate width shall be not less than 12 feet (3658 mm).
2. 2.Gates shall be of the swinging or sliding type.
3. 3.Construction of gates shall be of materials that allow manual operation by one person.
4. 4.Gate components shall be maintained in an operative condition at all times and replaced or repaired when defective.
5. 5.Electric gates shall be equipped with a means of opening the gate by fire department personnel for emergency access. Emergency opening devices shall be *approved* by the *fire code official*.
6. 6.Methods of locking shall be submitted for approval by the *fire code official*.
7. 7.Electric gate operators, where provided, shall be *listed* in accordance with UL 325.
8. 8.Gates intended for automatic operation shall be designed, constructed, and installed to comply with the requirements of ASTM F2200.

D103.6Signs.

Where required by the *fire code official*, fire apparatus access roads shall be marked with permanent NO PARKING—FIRE LANE signs complying with Figure D103.6. Signs shall have a minimum dimension of 12 inches (305 mm) wide by 18 inches (457 mm) high and have red letters on a white reflective background. Signs shall be posted on one or both sides of the fire apparatus road as required by Section D103.6.1 or D103.6.2.




FIGURE D103.6
FIRE LANE SIGNS

D103.6.1Roads 20 to 26 feet in width.
Fire lane signs as specified in Section D103.6 shall be posted on both sides of fire apparatus access roads that are 20 to 26 feet wide (6096 to 7925 mm).

D103.6.2Roads more than 26 feet in width.
Fire lane signs as specified in Section D103.6 shall be posted on one side of fire apparatus access roads more than 26 feet wide (7925 mm) and less than 32 feet wide (9754 mm).

SECTIOND104
COMMERCIAL AND INDUSTRIAL DEVELOPMENTS

D104.1Buildings exceeding three stories or 30 feet in height.
Buildings or facilities exceeding 30 feet (9144 mm) or three stories in height shall have not fewer than two means of fire apparatus access for each structure.

D104.2Buildings exceeding 62,000 square feet in area.
Buildings or facilities having a gross *building area* of more than 62,000 square feet (5760 m^2) shall be provided with two separate and *approved* fire apparatus access roads.
Exception: Projects having a gross *building area* of up to 124,000 square feet (11 520 m^2) that have a single *approved* fire apparatus access road where all buildings are equipped throughout with *approved automatic sprinkler system*s.

D104.3Remoteness.
Where two fire apparatus access roads are required, they shall be placed a distance apart equal to not less than one half of the length of the maximum overall diagonal dimension of the lot or area to be served, measured in a straight line between accesses.

SECTIOND105
AERIAL FIRE APPARATUS ACCESS ROADS


D105.1Where required.
Where the vertical distance between the grade plane and the highest roof surface exceeds 30 feet (9144 mm), *approved* aerial fire apparatus access roads shall be provided. For purposes of this section, the highest roof surface shall be determined by measurement to the eave of a pitched roof, the intersection of the roof to the exterior wall, or the top of parapet walls, whichever is greater.

D105.2Width.
Aerial fire apparatus access roads shall have a minimum unobstructed width of 26 feet (7925 mm), exclusive of shoulders, in the immediate vicinity of the building or portion thereof.


D105.3Proximity to building.
One or more of the required access routes meeting this condition shall be located not less than 15 feet (4572 mm) and not greater than 30 feet (9144 mm) from the building and shall be positioned parallel to one entire side of the building. The side of the building on which the aerial fire apparatus access road is positioned shall be approved by the *fire code official*.

D105.4Obstructions.
Overhead utility and power lines shall not be located over the aerial fire apparatus access road or between the aerial fire apparatus road and the building. Other obstructions shall be permitted to be placed with the approval of the *fire code official*.


++




Minimum Radius required for Bloomingdale




130′ Diameter Cul-De-Sac




60-FOOT "Y"



MINIMUM CLEARANCE AROUND A FIRE HYDRANT



120′ HAMMERHEAD



ACCEPTABLE ALTERNATIVE TO 120′ HAMMERHEAD

104 Hwy 80 West
P.O. Box 216
Bloomingdale, GA 31302
(912) 313-5459 (voice)
(912) 748-1519 (fax)

Chief Ferman Tyler
(912) 313-5459
Deputy Chief "Skippy" Boatright
(912) 210-6483

Auto/ Manual Restricted Access Points

1) "Click2Enter" or (100% compatible system*) required for "Electric/ Electronic Gate or Arm", and
    a. All area gate companies should be familiar with this as ALL Chatham County area systems operate on the same SEGARRN radio system.
2) "Knox Padlock" required for areas utilizing a padlock for restricted access.
    a. Order direct from Knox box.
3) Where approved by the Fire Department on a case-by-case basis, a mounted "Knox Box" may be installed near manually locked gate(s).
    a. Order direct from Knox box (*AFTER APPROVAL*)

All access points that are necessary for the arrival and operation of Emergency Services (Fire, Police, EMS) and utilize a secure method to restrict access, need to implement the appropriate option listed above.

Please contact Bloomingdale Fire Department (912) 748-7352 should you have any questions.

*Must have prior approval from Fire Department

Ga Fire Code/ IFC 2018

506. IFC 2018
Where access to or within a structure or an area is restricted because of secured openings or where immediate access is necessary for lifesaving or fire-fighting purposes, the *fire code official* is authorized to require a key box to be installed in an *approved* location. The key box shall be of an *approved* type listed in accordance with UL 1037, and shall contain keys to gain necessary access as required by the *fire code official*.

506.1.1Locks.
An *approved* lock shall be installed on gates or similar barriers where required by the *fire code official*.

506.2Key box maintenance.
The operator of the building shall immediately notify the *fire code official* and provide the new key where a lock is changed or rekeyed. The key to such lock shall be secured in the key box.

2018 IFC - Address Identification and Tenant Identification

505.1 Address identification.
New and existing buildings shall be provided with approved address identification. The address identification shall be legible and placed in a position that is visible from the street or road fronting the property. Address identification characters shall contrast with their background. Address numbers shall be Arabic numbers or alphabetical letters. Numbers shall not be spelled out. Each character shall be not less than 4 ** inches (102 mm) high with a minimum stroke width of 1/2 inch (12.7 mm). Where required by the fire code official, address identification shall be provided in additional approved locations to facilitate emergency response. Where access is by means of a private road and the building cannot be viewed from the public way, a monument, pole or other sign or means shall be used to identify the structure. Address identification shall be maintained.
2018 International Fire Code (IFC) / CHAPTER 5 / SECTION 505 / 505.1

** Warehouse/Industrial buildings shall be provided with building/address identification numbers with a minimum character height of 24 inches. Identification shall be in a contrasting color to the background and shall be located and maintained so as to be plainly visible and legible from the primary fire apparatus approach route (the main roadway/thoroughfare used by responding emergency vehicles).

403.11.1.5 Tenant identification.
Tenant identification shall be provided for secondary exits from occupied tenant spaces that lead to an exit corridor or directly to the exterior of the building. Tenant identification shall be posted on the exterior side of the exit or exit access door and shall identify the business name and address using plainly legible letters and numbers that contrast with their background.
Exception: Tenant identification is not required for anchor stores.
2018 International Fire Code (IFC) / CHAPTER 4 / 403.11.1 / 403.11.1.5